	Application No.	Applicant(s)
Notice of Allowability	09/865,316	CHAPUIS ET AL.
	Examiner	Art Unit
	Sam Chuan C. Yao	1733
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>03-03-04</u> .		
2. The allowed claim(s) is/are <u>41-88,122 and 123</u> .		
3. ☑ The drawings filed on <u>25 May 2001</u> are accepted by the Examiner.		
4.		
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ⊠ Interview Summar Paper No./Mail D 08), 7. ⊠ Examiner's Amen	ate <u>03-03-04</u> .

Application/Control Number: 09/865,316

Art Unit: 1733

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

Claim 41 line 5, before the word "arranging", the phrase --after the first layer of material selecting step,-- was inserted.

Claim 89 was canceled.

2. The following is an examiner's statement of reasons for allowance:

As correctly noted by Counsel on 03-03-04, the prior art requires arranging segments onto panels, then the panels are inter-connected together to form a 1st layer material having a circumferential edge; while claim 41 now requires performing the recited 1st layer of material selecting step and then "arranging the segments on the first layer of material ..." (emphasis added), claim 41 is allowable.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Sam Chuan C. Yao whose telephone number is (571)

Art Unit: 1733

272-1224. The examiner can normally be reached on Monday-Friday with second Friday off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Richard Crispino can be reached on (571) 272-1226. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Sam Chuan C. Yao Primary Examiner Art Unit 1733

Scy 03-06-04